

6. Acknowledgments

The authors would like to acknowledge the funding support from ITS/028/03 (Development of innovative apparel products and evaluation technology) project of ITF (Innovation and Technology Fund), and from AJ2009-11 of Beijing Municipal Commission of Education. We also like to express our gratitude to AIMER HEC-BICT (Aimer Human Engineering Research Centre of the Beijing Institute of Clothing Technology) for the 3D body scan data.

References

1. Young, V. L., (1995): "The efficacy of breast augmentation: Breast size increase, patient satisfaction, and psychological effects (Letter) (Reply)", *Plastic & Reconstructive Surgery*, Vol.96, pp.1237-1238.
2. Lipton, B., (1996): "Are you wearing the wrong size bra?", *Ladies Home Journal*, Vol.3, pp.46.
3. Boyes, K., (1996): "Buying the perfect bra", *Good Housekeeping*, Vol.8, pp.50.
4. Greenbaum, A. R., Heslop, T., Morris, J., & Dunn, K. W., (2003): "An investigation of suitability of bra fit in women referred for reduction mammoplasty", *British Journal of Plastic Surgery*, Vol.3, No.56, pp.230-236.
5. Armstrong, H. J., (1987): *Pattern Marking for Fashion Designer*, New York: Harper Collins.
6. Bouman, F. G., (1970): "Volumetric measurement of the human breast and breast tissue before and during mammoplasty", *British Journal of Plastic Surgery*, Vol.23, pp.263.
7. Campaigne, B. N., Katch, V. L., Freedson, P. et al., (1979): "Measurement of breast volume in females: Description of a reliable method", *Annals of Human Biology*, Vol.6, pp.363-367.
8. Grossman, A. J., & Roudner, L. A., (1980): "A simple means for accurate breast volume determination", *Plastic & Reconstructive Surgery*, Vol.66, pp.851.
9. Ellenbogen, R., (1978): "A new device to assist in sizing breasts", *Annals of Plastic Surgery*, Vol.3, No.1, pp.333.
10. Martin, R., (1957): *Lehrbuch der Anthropologie*, Third edition, Fischer: Jena.
11. Wacoal Corp., (1995): Golden canon, Unpublished internal document, Japan.
12. Wacoal Corp., (2001): Curve underwire and its using material, Japan Patent U2001-131807.
13. Bulstrode, N., Bellamy, E. and Shrotria, S., (2001): "Breast volume assessment: comparing five different techniques", *The Breast*, Vol.10, pp.117-123.
14. Kovacs, L., Eder, M., Hollweck, R., Zimmermann, A., et al., (2007): "Comparison between breast volume measurement using 3D surface imaging and classical techniques", *The Breast*, Vol.16, pp.137-145.
15. Lee, H. Y., Hong, K., & Kim, E. A., (2004): "Measurement protocol of women's nude breasts using a 3D scanning technique", *Applied Ergonomics*, Vol.35, pp.353-359.
16. Lee, H. Y., & Hong, K., (2007): "Optimal brassiere wire based on the 3D anthropometric measurements of under breast curve", *Applied Ergonomics*, Vol.3, No.38, pp.377-384.
17. Zheng, R., Yu, W. & Fan, J., (2008): "A new approach to measure women's breast volume using 3D body scan data", In *Proceedings of Applied Human Factors and Ergonomics International Conference 2008*, CD format.
18. Zheng, R., Yu, W. & Fan, J., (2007): "Development of a new Chinese bra sizing system based on breast anthropometric measurements", *International Journal of Industrial Ergonomics*, Vol.37, pp. 697-705.
19. Pechter, E. A., (1998): "A new method for determining bra size and predicting postaugmentation breast size", *Plastic & Reconstructive Surgery*, Vol.4, No.102, pp.1259-1265.
20. Zheng, R., (2007): "Breast sizing and development of 3D seamless bra", Unpublished PhD thesis, Hong Kong Polytechnic University, Hong Kong.