























- [34] T. Simon, H. Joo, I. Matthews, and Y. Sheikh. Hand keypoint detection in single images using multiview bootstrapping. In Proceedings of the IEEE conference on Computer Vision and Pattern Recognition, pages 1145–1153, 2017.
- [35] R. Sitnik and M. Witkowski. Locating and tracing of anatomical landmarks based on full-field four-dimensional measurement of human body surface. *Journal of Biomedical Optics*, 13(4): 044039, 2008. doi: 10.1117/1.2960017. URL <https://doi.org/10.1117/1.2960017>.
- [36] X. Sun, B. Xiao, F. 385 Wei, S. Liang, and Y. Wei. Integral human pose regression. In Proceedings of the European conference on computer vision (ECCV), pages 529–545, 2018.
- [37] R. S. Sundararaman, R. Marin, E. Rodola, and M. Ovsjanikov. Reduced representation of deformation fields for effective non-rigid shape matching. *Advances in Neural Information Processing Systems*, 35:10405–10420, 2022.
- [38] F. Tombari, S. Salti, and L. Di Stefano. Unique signatures of histograms for local surface description. *ECCV'10*, page 356–369, Berlin, Heidelberg, 2010. Springer-Verlag. ISBN 364215557X.
- [39] J. Tompson, R. Goroshin, A. Jain, Y. LeCun, and C. Bregler. Efficient object localization using convolutional networks. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), June 2015.
- [40] J. J. Tompson, A. Jain, Y. LeCun, and C. Bregler. Joint training of a convolutional network and a graphical model for human pose estimation. In Z. Ghahramani, M. Welling, C. Cortes, N. Lawrence, and K. Weinberger, editors, *Advances in Neural Information Processing Systems*, volume 27. Curran Associates, Inc., 2014.
- [41] G. Trappolini, L. Cosmo, L. Moschella, R. Marin, S. Melzi, and E. Rodol.. Shape registration in the time of transformers, 2021.
- [42] S. Wuhrer, Z. B. Azouz, and C. Shu. Posture invariant surface description and feature extraction. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 374–381, 2010.
- [43] N. Yair and T. Michaeli. Multi-scale weighted nuclear norm image restoration. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), June 2018.
- [44] C. Yan, Z. Li, Y. Zhang, Y. Liu, X. Ji, and Y. Zhang. Depth image denoising using nuclear norm and learning graph model. *ACM Trans. Multimedia Comput. Commun. Appl.*, 16(4), dec 2020. ISSN 1551-6857. doi: 10.1145/3404374. URL <https://doi.org/10.1145/3404374>.
- [45] S. Yin, S. Wang, X. Chen, E. Chen, and C. Liang. Attentive one-dimensional heatmap regression for facial landmark detection and tracking. In Proceedings of the 28th ACM International Conference on Multimedia, pages 538–546, 2020.
- [46] S. Zulqarnain Gilani, F. Shafait, and A. Mian. Shape-based automatic detection of a large number of 3D facial landmarks. In Proceedings of the IEEE conference on computer vision and pattern recognition, pages 4639–4648, 2015.